SECTION 8
APPLIANCES

PAGE 263

PAGE 264

PAGE 258

PAGE 244

PAGE 250

PAGE 254

ATWOOD
HELIUM
REFRIGERATORS
HeLIUM TECHNOLOGY
The only RV refrigerator with helium in the cooling system and an integrated tilt sensor for optimal performance and reliability.
Atwood Helium standard features include a tilt sensor, door ajar alarm, intuitive door handles, LED interior lighting, blue crispers and door shelves, integrated storage latches and a 2-Year limited warranty.
Atwood®

Atwood NEW

Helium Refrigerator

The only RV refrigerator with helium in the cooling system and an integrated tilt sensor for optimal performance and reliability. Atwood Helium standard features include a tilt sensor, door ajar alarm, intuitive door handles, LED interior lighting, blue crispers and door shelves, integrated storage latches and a 2-Year limited warranty.

12003	6 CU Ft Right Hinged Door W/Fan (Slideout)	●
12004	6 CU Ft Left Hinged Door W/Fan (Slideout)	●
12007	8 CU Ft Right Hinged Door W/Fan (Slideout)	●
12008	8 CU Ft Left Hinged Door W/Fan (Slideout)	●

SIDE VENTS

13001	Kit, Refer Side Vent White	●
13002	Kit, Refer Side Vent Grey	●
13003	Kit, Refer Side Vent Black	●

ROOF VENT

13004	Kit, Refer Roof Vent White	●
13005	Kit, Refer Roof Vent Grey	●
13006	Kit, Refer Roof Vent Black	●

Dometic

Portable Ice Maker

Dometic makes it possible for you to have ice where you want it and when you want it. Once you've used it you'll wonder how you ever lived without it. Fast, efficient ice production is yours for entertaining at backyard picnics or on-the-go events at the park, lake or ball game.

HZB-15S	Portable Ice Maker - 2.5 lbs

Dometic

3-Way Refrigerator

Perfectly sized to replace a standard ice-box. Three-way power for added convenience of 12-volt DC-excellent performance with only 9.4-amps. Adjustable, removable shelves, one piece white ABS liner easily wipes clean. 21" H x 17-3/4" W x 21-1/2" D.

RM2193	RM2193 Refrigerator

Dometic 2-Way Refrigerator

New dimensions line of refrigerators that are designed to give you 25% more interior space without taking up any more of your outside space.

NDR1062RIMH 2-Way Refrigerator 59-15/16" H x 23-11/16" W x 24" D

Dometic 2-Way Refrigerator

RM2410.2 and RM2510.2 are sized to fit standard cabinet openings at an affordable price. Features include easy-access manual controls. Piezo ignition system is standard on the RM2410. Automatic gas relight system is standard on the RM2510. Rugged and dependable as well as great looking. Note: these refrigerators are not equipped with an interior light. Recess dimensions: RM2410.2: 32-7/16" H x 22-3/16" W x 24" D. Ship weight 88 Lb. RM2510.2: 40-5/16" H x 21-13/16" W x 24" D. Ship weight 98 Lb. 3 year limited warranty.

RM2410.2 2-Way Refrigerator

RM2510.2 2-Way Refrigerator

Dometic 2-Way Refrigerator

RM2652RB & RM2852RB: Beautiful white interior, flexible storage options. Removable door bins. 2-litre bottle and 1/2-gallon container door storage. One-gallon container shelf storage. Adjustable wire shelves. 3-position adjustable freezer shelf. Shelf and juice rack on freezer door. Two crispers. Eye-level electronic controls with automatic electronic LP ignition. Doors open 180-degree. Positive lock door handles. Black Frame.

DM2652 Americana Double Door Refrigerator 53-3/4" x 23-11/16" x 24"

DM2862 Americana Plus 2-Way Refrigerator/ Freezer 59 15/16" x 23" x 11/16 24"

Dometic 2-Way Refrigerator

If you're replacing an older refrigerator, the classic is the perfect fit. Available in the two most popular sizes, the classic is designed to fit existing cabinet openings for many older Dometic models, as well as some other brands. Features include a 2-way power with auto electronic Lp ignition, eye-level electronic controls, adjustable thermostat, rugged steel frame, assures strength and durability, door handles operate easily, locks automatically, versatile shelving and removable door bins, two crispers, with gallon container space. Recess Dimensions: RM2820 8 cubic foot 55-3/8 H" x 23-5/8" W x 24" D, RM2620 6 cubic foot 49-1/2" H x 21-3/4" W x 24" D. Note: these refrigerators are not equipped with an interior light.

RM2620 6 Cubic Feet, 2-Way 49-1/2" H x 21-3/4" W x 24" D

RM2820 8 Cubic Feet, 2-Way, 55-3/8 H" x 23-5/8" W x 24" D

Dometic 2-Way Refrigerator

Forget the old 6 and 8 cubic foot model and step up to these revolutionary 7 cubic foot units. The 7 cubic foot fits the exact same footprint, but offers more interior food storage space. User-friendly units feature residential style handles, convenient eye-level controls and versatile racking systems. Shelf Guards prevent spills. Transparent door shelves and crisper display contents at a glance. Automatic climate control. Manufactures 3 year warranty.

RM3762RB 2-Way Refrigerator 53 3/4" x 23" x 11/16 24"

Dometic 2-Way Refrigerator

Americana Single Doors Refrigerator. Easy to use top controls, with Piezo LP ignition. 1/2 gallon to 2 liter container shelf storage. 2-way power (110Volt/LP/12Volt), 3 door bins. 3 Year Warranty.

RM2351 2-Way Refrigerator 29 3/4 H 20 1/2 W 21 3/8 D

RM2451 2-Way Refrigerator 36 9/16 H 23 11/16 W 24 D

RM2551.2 2-Way Refrigerator 42 5/8 H 23 11/16 W 24D

NORCOLD N1095

9.5 cubic feet of storage in the cutout space of a 7.5-foot refrigerator! Only Norcold's super-insulated cabinet makes this capacity possible. And N1095 still goes beyond "Best In Class" in the areas that matter: performance, reliability & dependability. Roomy, convenient and user-friendly, Norcold full-size RV refrigerators also have significant ergonomic touches that really enhance the vehicle. Features eye-level easy to see and operate LED control panel with built-in diagnostics, superior cooling unit, adjustable thermostat, thermostat backup system and positive lock handles. 2 door, 2-way refrigerator. Dimensions: 59-7/8" H x 23-1/2" W x 24" D.

N1095 Flush Mount 2-Door LP/120-Volt ●

N1095IM Flush Mount 2-Door W/Icemaker LP/120-Volt ●

618152 Model N841, Lower (Black) - 38-5/8" H x 21-19/32" W x 3/16" Thick ●

618178 Model N641/N841, Top (Black) - 14-17/32" H x 21-19/32" W x 3/16" Thick ●

DEMAND THE BEAR

NORCOLD®

THE NEW AGE OF COLD

NORCOLD®

UltraLine 1210LR

The best and biggest RV refrigerator available. 8.4 cu. Ft. fresh food compartment is 26" wide to store long items. Twin 1.8 cu. Ft. freezer compartments. Unique 4-door design saves energy. Convenient, exclusive eye-level LED controls with built-in diagnostics and adjustable thermostat. Adjustable, removable shelves and door bins for maximum flexibility. Fresh food compartment light automatically shuts off if door is ajar for 2 minutes. Cut-out: 63 1/4" H x 32 11/16" W x 24" D.

1210LR Side By Side Fridge ●

1210LRIM Side By Side Fridge W/Icemaker ●

NORCOLD®

Refrigerator 800 Series

The "Best In Class" flush mount refrigerators lead the field in being roomy, convenient and user friendly. Features more storage space than any other brand-7.5 cubic feet of storage space. Includes three white powder-coated shelves and four door bins that are adjustable and removable, one gallon container shelf storage, two crispers and positive lock door handles and storage latches to prevent doors from swinging open while traveling. Features an energy efficient alarm to inform you when the door is ajar and a light that turns off after two minutes when the door is left open. Built-in, eye-level LCD control panel automatically gives you information for optimum performance. Two way models are powered by 120 volt AC and LP gas while three way models also work on 12-volt DC. Amps are 3.0 @ 120V AC for all models. Optional absorption ice maker with ice bucket is available. All door panels are sold separately. Cut-out: 59-7/8" H x 23-1/2" W x 24" D.

N841R/L Model N841 - 2-Way ●

N841.3R/L Model N841.3 - 3-Way ●

N841IMR/L Model N841M - 2-Way W/Ice Maker ●

618178 Model N641/N841, Top (Black) - 14-17/32" H x 21-19/32" W x 3/16" Thick ●

618152 Model N841, Lower (Black) - 38-5/8" H x 21-19/32" W x 3/16" Thick ●

N600 Gas Absorption Refrigerators

The "Best In Class" flush mount refrigerators lead the field in being roomy, convenient and user friendly. Features 6.3 cubic feet of storage space. Includes three white powder-coated shelves and three door bins that are adjustable and removable, one gallon container shelf storage, two crispers and positive lock door handles and storage latches to prevent doors from swinging open while traveling. Features an energy efficient alarm to inform you when the door is ajar and a light that turns off after two minutes when the door is left ajar. Built-in, eye-level LCD control panel automatically gives you information for optimum performance. Two way models are powered by 120V AC and LP gas while 3-way models also work on 12V DC. Optional absorption ice maker with ice bucket is available. All door panels are sold separately. Cut-out: 52-7/8" H x 23-1/2" W x 24" D.

N641IMR/L Model N641 - 2-Way ●

N641.3R/L Model N641.3 - 3-Way ●

N641IMR/L Model N641M - 2-Way W/Ice Maker ●

618236 Model N641, Lower (Black) - 31-5/8" H x 21-19/32" W x 3/16" Thick ●

618178 Model N641/N841, Top (Black) - 14-17/32" H x 21-19/32" W x 3/16" Thick ●

N500 Bas Absorption Refrigerator

5.5 cubic feet. Automatic re-ignites on gas if the flame goes out. Adjustable thermostat responds to changes in ambient temperatures and varied use. Convenient eye-level controls. Freezer compartment. Easy-clean, no-tarnish white powder-coated shelves. Adjustable middle shelf. Adjustable, removable door bins. One-gallon container shelf storage, and 2-liter bottle and 1/2-gallon door bin storage. Fresh fruit/vegetable storage bin/crisper. Flip-up bottom shelf holds gallon jug. Manual change over between gas and electric. Easily-reversible, self-latching door opens 150 degrees and accepts side-installed decorative door panels. Travel latch with storage position. Integrated cover/baffle over controls. Enclosure cut-out dimensions: 42-5/8" H x 23-11/16" W x 24" D. Interior volume 5.5 cu. Ft. Door panel dimensions: 37" H x 21-5/16" W x 3/16" Thickness. 120V/AC. 2.0 amps. Net weight: 94 lbs. Shipping weight: 109 lbs.

N510UR N500R/L Norcold 2-Way ●

N510.3VR N500.3R/L Norcold 3-Way ●

N400 Gas Absorption Refrigerator

4.5 cubic feet. Adjustable thermostat responds to changes in ambient temperatures and varied use. Convenient eye-level controls. Freezer compartment. Easy-clean, no-tarnish white power-coated shelves. Adjustable, removable door bins. One-gallon container shelf storage, and 2-liter bottle and 1/2-gallon door bin storage. Flip-up bottom shelf holds gallon jug. Manual change over between gas and electric. Easily-reversible, self-latching door opens 150? and accepts side-installed decorative door panels. Travel latch with storage position. Flame current meter monitors gas ignition. Integrated cover/baffle over controls. Enclosure cut-out dimensions: 36-9/16" H x 23-11/16" W x 24" D. Interior volume 4.5 cu. Ft. Door panel dimensions: 31" H x 21-5/16" W x 3/16" Thickness. 120V/AC. 2.0 amps. Net weight: 84 lbs. Shipping weight: 98 lbs.

N410UR N400 2-Way ●

N410.3 N400.3 3-Way ●

Built-In Refrigerator - Model DC0040

Convenient top-mounted controls. No need for additional venting. Improved cooling performance in higher ambient temperatures. Improved hinges, travel latches and shelves. More door flexibility than ever! Reversible door; Removable door panel; Integrated door latches. Larger freezer shelf holds an ice cube tray - and more! Compact - Perfect for tight living areas. Single, heavy-duty door bin stores wide/tall containers. 1.7 cu. Ft. Enclosure cut-out dimensions: 20-7/16" H x 15-1/4" W x 17-3/4" D.
Shipping weight: 40 lbs.

DC0040 DC0040 Norcold ●

Refrigerator, Portable-Model MRFT-440

Holding Capacity: 75 lbs. 1.38 cu. Ft. Dimensions: 18-3/4"H x 24-7/8"L x 14-1/4"W. Shipping weight 60 lbs. Portable AC/DC refrigerator/freezer. Automatic temperature control. One removable storage basket. Off-level operation up to 30?. CFC free foam insulation R-134a refrigerant. AC and DC cords. DC cord comes with cigarette lighter attachment. UL approved, 115V AC (.4 amps), 12V DC (3.5 amps).

MRFT-40 Model MRFT-440 ●

N300 Gas Absorption Refrigerator

Superior cooling performance refrigerator/freezer. Adjustable thermostat responds to changes in ambient temperatures and varied use. Easy-to-operate, top-mounted manual controls with Piezo gas ignition and on-off switch. Contemporary design with ergonomic controls and latch. Freezer compartment. Flame current meter monitors gas ignition. Integrated top installation baffle. Easily-reversible door opens 180? and accepts side-installed decorative door panels. Easy-clean, no-tarnish white-powder-coated shelves. Adjustable lower shelf. Adjustable, removable full-width door bins with 2-liter bottle and 1/2-gallon-storage. Automatic travel latch with storage position. Enclosure cut-out dimensions: 29-3/4"H x 20-1/2"W x 21-3/8"D. Interior volume 2.7 cu. Ft. Door panel dimensions: 25-15/16"H x 20-1/8"W x 3/16" Thickness. 120V/AC. 1.5 amps. Net weight: 63 lbs. Shipping weight: 72 lbs.

N300R/L Model N300 - 2-Way ●

N300.3R/L Model N300 - 3-Way ●

3213 Compact Refrigerator Gas/Electric

Easy-to-operate manual controls readily-accessible through lower vent, with Piezo gas ignition. Easy to install; fits most ice box cutouts. Easily-reversible door opens 180?. Built-in mounting flange and comustion seal. Easy-clean, no-tarnish white power-coated shelves. Adjustable, removable shelves and tall container storage. Travel/storage latch. Enclosure cut-out dimensions: 20-5/8"H x 17-1/2"W x 21-1/4"D. Interior volume 1.7 cu. Ft. 120V/AC. 1.4 amps. Net weight: 39 lbs. Shipping weight 50 lbs.

323TR Model 323, 3-Way ●

Refrigerator - DE-451/DC-451

Very popular for boats and vans. Mounting flange allows it to be built into a wall-ideal for under-the-counter locations. Top, rear power supply and compressor mean improved hull clearance. Freezer shelf holds an ice cube tray. Exceptionally quiet, hermetically-sealed compressor. Expressly designed for reliability in marine and mobile applications. Easy, accessible storage. Convenient, large container storage. Durable and easy-to-clean white powder-coated shelves. Easy open and close door latches-even under the counter. Reversible door. Off-level operation up to 30?. 12-volt fan aids airflow across condenser and compressor for improved cooling.

DE-0051 Built-In Refrigerator For Mobile & Marine Use - 120V/12V

Refrigerator - Model DE-490

Free-standing model with mounting legs. Designed for reliability in marine and truck applications. Exceptionally quiet, hermetically-sealed compressor. Reversible black door had adjustable tall container storage. Off-level operation up to 30 degrees. Convenient, automatic temperature control. Full-width freezer compartment. 12-Volt fan aids airflow across condenser and compressor for improved cooling. Large, easy and accessible storage. Durable and easy-to-clean which powder-coated shelves and one-piece interior. Easy open/close door latches - even under the counter. Enclosure cut-out dimensions: 30-7/8" H x 20-1/2" W x 20-1/8" D. Interior volume 2.8 cu. Ft. 120V/AC. .83-amps. Net weight: 62 lbs. Shipping weight: 71 lbs.

DE-490 DE-490 AC/DC Refrigerator

Replacement Refrigerator Door Panels



Replacement panels for FRV and Norcold Refrigerators. These panels are quality manufactured and come in four designs: White, Black, Woodgrain, and Brushed Aluminum. Panels sold as complete sets.

MODEL DE-0041

- **DE-0041W** White Fridge Panels
- **DE-0041L** Black Fridge Panels
- **DE-0041G** Woodgrain Fridge Panels
- **DE-0041BA** Brushed Aluminum Fridge Panels

MODEL DE-0061

- **DE-0061W** White Fridge Panels
- **DE-0061L** Black Fridge Panels
- **DE-0061G** Woodgrain Fridge Panels
- **DE-0061BA** Brushed Aluminum Fridge Panels

MODEL DE-451

- **DE-451W** White Fridge Panels
- **DE-451L** Black Fridge Panels
- **DE-451G** Woodgrain Fridge Panels
- **DE-451BA** Brushed Aluminum Fridge Panels

MODEL N300

- **N300W** White Fridge Panels
- **N300L** Black Fridge Panels
- **N300G** Woodgrain Fridge Panels
- **N300BA** Brushed Aluminum Fridge Panels

MODEL N400

- **N400W** White Fridge Panels
- **N400L** Black Fridge Panels
- **N400G** Woodgrain Fridge Panels
- **N400BA** Brushed Aluminum Fridge Panels

MODEL N510

- **N510W** White Fridge Panels
- **N510L** Black Fridge Panels
- **N510G** Woodgrain Fridge Panels
- **N510BA** Brushed Aluminum Fridge Panels

MODEL N641

- **N641W** White Fridge Panels
- **N641L** Black Fridge Panels
- **N641G** Woodgrain Fridge Panels
- **N641BA** Brushed Aluminum Fridge Panels

Continued In Next Column

Continued From Previous Column

MODEL N841

- **841W** White Fridge Panels
- **N841L** Black Fridge Panels
- **N841G** Woodgrain Fridge Panels
- **N841BA** Brushed Aluminum Fridge Panels

MODEL N1095

- **N1095W** White Fridge Panels
- **N1095L** Black Fridge Panels
- **N1095G** Woodgrain Fridge Panels
- **N1095BA** Brushed Aluminum Fridge Panels

MODEL N1200

- **N1200W** White Fridge Panels
- **N1200L** Black Fridge Panels
- **N1200G** Woodgrain Fridge Panels
- **N1200BA** Brushed Aluminum Fridge Panels

Fridge Airator

Cool your RV fridge evenly and keep your food fresher. This high-volume air circulator also absorbs odors with activated charcoal.

44123 Fridge Airator

Fridgemate Fan

Reduce fridge running time. Keeps cool air moving through the fridge. Use 2 D size batteries. Batteries run continuously for 30 days.

A10-2604 Fridgemate Fan W/O Switch

A10-2606 Fridgemate Fan W/ On/Off Switch

Universal Fridge Fan

Increases refrigerator cooling efficiency up to 40%! Fully automatic fan only activates when fridge is on. Turns itself on at 100 degrees F, off at 80 degrees F. Mount at the top of the rear compartment or on the back of the refrigerator to blow air.

A10-2618VP Fridge Fan

Fridge Alarm

Warns when the temperature of your refrigerator gets too high or too low with an audible beep and a flashing light. An easy to read LCD indicates room and refrigerator temperatures. It operates off a single AAA battery.

42113 Camco Fridge Alarm

Prime PRODUCTS

Digital Fridge Monitor

Keep track of your refrigerator temperature without having to open the door and let out all the cold air. This battery operated monitor mounts on the wall and a flat sensor runs to refrigerator. At any time you can switch to read the room temperature or turn the monitor into an easy to read clock.

12-3020 Digital Fridge Monitor

CAMCO RV

Fridge Brace

Keep food from sliding as you go down the road. Helps keep cartons upright to reduce the risk of messy spills.

44033 Fridge Brace 2/pack

CAMCO RV

Fridge Bars

Keep order in your RV refrigerator and cupboards during travel. Spring loaded bars keep items in place. Refrigerator bars extend from 16" to 28".

44053 Refrigerator Bar White - 3 Pack

43823 Refrigerator Bar Oak - 3 Pack

CAMCO RV

Cupboard Bars

Keep order in your RV cupboards during travel with Cupboard Bars. Cupboard Bars extend from 10" to 17".

44063 Cupboard Bar White - 3 Pack

Frigiloks

Automatic door latch fits all RV refers. Adjustable for door thickness. Available for single or double door refrigerators.

01791 Double Frijilok

SGL Single Door

RDesigner

Fridge Drain Hose Plug

Plastic plug that will fit most fridge drain hoses.

E378 Plug For Fridge Drain Hose

JR PRODUCTS

Fridge Travel Lock Pin

This universal security pin is commonly found on refrigerator doors but can also be used for window and sliding doors. Easy to install anywhere you need to keep a door or window closed during travel.

20705 Fridge Travel Door Lock Pin

barker

Refrigerator Vent

The plastic roof vent features a molded-in bird/squirrel screen for added protection. Top and Base are sold as one unit. Cutouts: 5-3/4" x 20-5/8". Overall size is 9-3/4" x 22". Top base sold as one unit.

12603 Refrigerator Roof Vent Complete

Dometic

Vent Cap Polar White

RV Dometic refrigerator roof top vent cap White.

3100529.043 Vent Cap Polar White

CAMCO RV

RV Refrigerator Vent Cover

Use the power of the sun to vent your refrigerator. Refrigerator Vent Cover comes with built in fan and solar panels. Made from UV stabilized, durable polypropylene plastic. Cap mounts to base with included hardware.

42165 Solar Powered Refrigerator Vent

CAMCO RV

RV Refrigerator Vent Cover

Fits Dometic, Camco and newer Norcold bases. Made from UV stabilized, durable polypropylene plastic.

42160 Refrigerator Vent Cover

barker

Refrigerator Vent

Quality plastic construction guards against oxidation, inhibits the sun's ultra-violet rays, provides durable long life. Bird and rodent screen won't rust or come apart and it requires no assembly. Reduces storage and space requirements. Approved by the American Gas Association. Vent for 6x20 opening.

RRV20 Vent

NORCOLD

Roof Vent - Low Profile, Plastic

Plastic refrigerator roof vent for use with all Norcold refrigerators. 5 1/4" x 24" cut-out dimensions. Bright White.

616319BWH Plastic Roof Vent - Complete

VENTLINE

Refrigerator Roof Vents - Metal

Surface mounted universal replacement or for new installations. Full ventilation with weather protection. Formed sheet metal, white tops.

V0203-03 Cap Only, 24"

V2022-03 5" x 24" Complete ●

V0157-03 4-1/2" x 18" Top Only - White

V157 18" Refrigerator Vent Cap

VENTLINE

Refrigerator Vent Base Only

Closed front for travel safety and has a bug screen. Mill finish galvanized steel base. Base only, top not included Cut-Out Sizes given.

V0504-00 Refrigerator Vent Base Only - 5" x 18"

V0523-00 Refrigerator Vent Base Only - 5" x 24"

V0565-00 Refrigerator Vent Base Only - 5" x 20"

VENTLINE

Refrigerator Vent Cap Only

V0432-03 Top Only Vent Cap, Polar White - 5" x 20"

NORCOLD

Refrigerator Side Vent

Square-cornered and radius-cornered side vents, mill finish frame with piano hinge and screw cover provision. 13-3/4" x 21-3/4" cut-out dimensions. Also Vent Doors for Compacts - 8" x 21".

616010PW 13 3/4" X 21 3/4" Square Corner Door, Polar White

621156PW 13 3/4" X 21 3/4" Radius Corner Door, Plastic, Polar White

617485PW 7 1/4" X 21 7/8" Squre Corner Upper Vent, Polar White

617484PW 9 9/16" X 19 1/8" Square Corner Lower Vent, Polar White

Dometic

Heat Strip Kit

An optional heat strip kit can be added to your Brisk Air or Penguin to take away the morning or evening chills. Provides 5,600 BTU's of heat and can be pluged directly into the ceiling assembly. For non-ducted applications only.

3101121030 Heat Strip Kit

FAN-TASTIC VENT

Endless Breeze

Plug in Endless Breeze and the large volume of air movement will surprise and delight you! Ideal for blowing away bugs on hot muggy nights and even thawing out RV refrigerators. Compact, easy to store 12", ten blade rotary fan features three speeds and retractable legs. 12 volt low amp draw. Maximum amp draw is less than 3 amps per hour. Measures 14-1/4" H x 13-1/2" W x 3-5/8" D. Weighs less that 5 Lb. Includes a 12 volt plug and cord. 1 per box..

1100WH Endless Breeze Fan

Coleman-Mach

Mach 3 Plus Coleman A/C

The revolutionary low profile air conditioner series that utilizes the latest air conditioning technology. Environmental chamber testing has documented the Polar Series offers the best cooling capacity versus power consumption performance ever supplied to the RV industry. Aerodynamically styled air conditioner shrouds include weather resistant condenser coil protection. Heat transfer to the vehicle exterior has been dramatically accelerated by the vertically mounted motor and 17" oversized fan blade. More Cooling—Less Power! The quiet horizontal rotary compressor is the heart of the 9000's refrigeration system. Refrigeration circuit tubing has been rifled and cross-hatched internally to create turbulence in the refrigerant, improving the system's ability to dissipate heat. Electrical compressor starting components are standard equipment. At 1/3 hp, the motor is the most powerful in the RV industry and features a fan canopy to protect against damage from the elements. High-density polyethylene condensate water collection pan prevents corrosion problems. Durable molded polycarbonate fan guard has been impact tested to 40° below zero for reliability.

65381	9000 BTU Polar Cub- White	●
63134	13,500 BTU Mach 3, White	●
63140	15,000 BTU Mach 15 White	●
63152	13,770 BTU Mach 3 Spd, White	●
67305	Cool Only Ceiling Assy -White	●
67306	Heat/cool Ceiling Assy - White	●
63130	Ducted Ceiling Assy - White	●
65348	Mach Heat Kit	●

Coleman-Mach

Replacement Parts For Coleman A/C



Replacement parts for Coleman roof air conditioners.

7330-3351	Wall Thermostat	●
8330-3851	PC Board Package- 12-volt	●
1468A3049	Motor-7333 Series	●
1468-3069	Motor 8331 Series	●
25071	Gasket Kit	●

Lippert Components NEW

A/C Gasket

15068 A/C Seal & Gasket

Coleman-Mach

Coleman Air Conditioners

Shroud for Coleman A/C most models. 29" W x 43" L x 13-3/4" H.

6727-5711	A/C Shroud Ivory	●
8333-4111	13.5/15K Shroud - Polar White	●
8333-4171	Coleman 13.5K BTU A/C Shroud- Colonial White	

MAXXAIR VENT CORP

A/C Shroud

Replacement cover for Colman. the last A/C replacement shroud you will ever have to buy. Available in 2 popular colors to match your RV's exterior, polar white and black, measures 29-3/8" W x 41-5/8" L x 12-3/4" H.

00-325001 Polar White

Dometic

Dometic Air Conditioners Shrouds

Shrouds for air conditioners..

3308046006 Penguin Shroud - Polar White

3309518003 12" Brisk-Air Shroud - Polar White

3108703335 Emerson/EQ Series Replacement Shroud

Dometic

Penguin A/C

High in power and low in profile, Dometic's Penguin air conditioner is a reliable and cool performer. The Penguin air conditioner has a 9 1/2-inch profile, making it one of the lowest available and giving you more clearance for driving under low bridges or through toll booths. The Penguin uses electronic or analog relays in the ceiling ducted system or air distribution box to conveniently cool your coach.

640315.301CO 13.5 BTU Upper Unit - Polar White

651515.301CO 13.5 Penguin W/Heat Pump

Dometic Air Distribution Box

Air Distribution Box. Heat strips cannot be added.

3310741.016 ADB Manual Controls PW

Dometic Brisk Air

From the company that invented the RV refrigerator, the Dometic Brisk Air line is powerful enough to cool even the largest coach. Its reliability, economical price, efficient performance and long life make it the first choice of more than a million RVers today.

457915.301CO 13.5 BTU Brisk Air

459516.301CO 15,000-BTU

Dometic Commercial Grade A/C

Dometic's Commercial Grade rooftop air conditioners are designed to overcome harsh and unusual road and weather conditions. Many standard units break down after just four hours of extreme vibration testing, while the Dometic Commercial Grade is still going strong at 30 hours and more. Dimensions (HxWxD). (in) 13 1/8" x 34 7/8" x 29 7/8"

477915.301CO 13,500 BTU Commercial Grade A/C

479516.301CO 15,000 BTU Commercial Grade A/C

Dometic Brisk Air Ceiling ADB Assemblies

For use with Brisk Air non-ducted applications. The air distribution box effectively circulates air-with its recessed, easy-to-reach controls, fully adjustable louvers, washable, reusable filter and exclusive three-speed blower. Comes pre-wired for the optional heat strip kit when heat/cool is desired, polar white.

3107206.017 Brisk Air Ceiling ADB Assemblies

Dometic Ducted Return Air Grills

Comfort Control Center operates all the RV's cooling and heating units - in any combination. Analog Thermostat package allows control of cooling, furnace and heat strip with one thermostat for 57908, 57912, 57915, 59016, 59516 and Penguin Models.

3101121.03 Heat Kit For Non-Ducted

3105935.047 Quik Cool Grille Pw

3308120.504 Genesis Air Box Colonial White

3308120.512 Genesis Air Box Polar White

3106986.007 Adapter Cable F/ccc

3106995.032 Dom T-Stat Analog

Dometic Comfort Control Center

Comfort and control come together in the Duo-Therm Comfort Control Center. This Electronic, digital system provides zoned climate control for as many as four areas within the coach all from a digital control panel. It's ideal for multi-room configurations. The sure touch control panel operates rooftop A/C's single and dual basement air, heat pump systems, gas furnaces and electric heat strips-in any combinations. Plus, the system allows for different temperature settings for each heating or cooling unit, if desired. Engineered for superior performance. Comfort Control communicates through standard phone cables, making installation simple and cost-effective. A small remote sensor installed in each designated heating/cooling zone provides constant feedback to maintain desired temperature. An electronic control kit (sold separately) may be required depending on which Penguin or Briskair model you have.

3109228001 Comfort Control Center

3109226.005 Electronic Control Kit

Dometic Analog Control System



The easy to install Duo Therm Wall-Mounted Analog Thermostat controls all heating and cooling systems from one convenient location. These units operate automatically or manually and work with standard, ducted rooftop or basement installations. A basic unit controls the A/C and furnace and one for heat strips. Each includes the necessary control box.

3107541.009 Controls AC/Furnace, Cool Only Control Box

3107546.008 Control Kit heat Pump Analog Heat/Cool

The nature of climate control.™

Commercial Grade Air Conditioners

For heavy-duty, long lasting cooling look to Dometic. Our commercial grade roof top air conditioners are lightweight, energy-efficient solutions for tough environments.

- 13,500 and 15,000 BTU models
- Shock and vibration resistant
- Perfect for mobile, over-the-roadtrucking, kiosks, remote and commercial use
- R-410A refrigerant absorbs and releases heat more efficiently
- Compact, rugged, long life technology
- Lightweight: only 91 lbs. (13,500 BTU model)

Dometic


EXCALIBUR XT
A REVOLUTIONARY NEW SYSTEM FORGED BY ATWOOD MOBILE PRODUCTS
A Unique 2-Stage System that's quiet, efficient and conserves energy!
72
OFF COOL
HEAT FAN
M
Equipped with a Digital Thermostat with 13 Heating/Cooling Functions:
The Excalibur XT Furnace automatically switches between High and Low to maintain temperatures while also conserving energy. During cold start-ups, the furnace operates on High BTU/High Fan for a quick warm-up. Once the desired temperature is reached, the furnace automatically switches to Low BTU/Low Fan to maintain the comfortable environment you want!
Atwood

Atwood

Excalibur XT Furnace

Redesigned LP gas and electronic ignition furnaces are now more efficient and quieter with a new burner and blower assembly. Annoying frequency spikes and overall noise have been removed with an increase in airflow. Compact low profile, twelve volt DC furnaces can be installed vertically to better utilize space. All controls and crucial components are easily accessible from outside your RV, which eliminates the need to remove the furnace. Unlike competitive units, there is no carbon build-up maintenance required. It can be configured for side or bottom discharge. A flexible adapter kit makes bottom discharge installation easy for new and replacement application. Includes thermostat. Unit size: 7-1/2" H x 17" W. Access doors sold separately. 1 per box.

1522	Dual Stage Furnace 15K/22K
2334	Dual Stage Furnace 23K/34K
2540	Dual Stage Furnace 25K/40K

Atwood

Excalibur 8900 III Series



Compact, low profile, 12-volt DC or 110V AC furnace. With two BTU sizes 35,000 and 40,000 BTU/h with the same casing and cut-out for all sizes. All controls and crucial components are easily accessible from outside your RV, which eliminates the need to remove the furnace for servicing. It can be configured for side or bottom discharge. A flexible adapter kit makes bottom discharge installation easy for new and replacement applications. Access door and wall thermostat are not included. Cut-out size: 9 7/8" H x 19 1/2" W. Access doors sold separately. 1 per box.

36915	35,000-BTU Furnace - 12V
36913	40,000-BTU Furnace - 12V
36919	35,000-BTU Furnace - Park Model - 110V
36917	40,000-BTU Furnace - Park Model - 110V

Atwood

Excalibur Furnace Doors

Doors for Atwood Excalibur and Excalibur XT furnaces. Standard surface mount door are available in polar white or colonial white. If a flush mounted door is required, the corresponding recessed door pan must be order separately.

33754	Colonial White Door
33756	Polar White Door
33854	Colonial White Recessed Door Pan
33856	Polar White Recessed Door Pan

Atwood

Everest Star 7900 II Series



Perfect for new installations in campers & tent trailers that do not have furnaces. Operates on 12-volt DC and is available in three sizes, from 12,000 to 20,000 BTU/h. Flexible ducting with front discharge only or front and side discharge or side discharge only. Wall thermostat not included. Unit size: 8" W x 11" H x 20 5/8" D. Vent cut-out required: 4 7/8" W x 2 1/2" H.

36548 12,000-BTU Furnace

36545 16,000-BTU Furnace

36542 20,000-BTU Furnace

36563 Direct Ignition/Side

Atwood

Digital Thermostat

The new Atwood digital thermostat is programmed to perform 13 individual functions making it one of the easiest, most accurate, thermostats to use in the market today. This revolutionary thermostat can simultaneously control a roof top air conditioner. The LCD display makes it easy to read the living space temperature or the thermostat set point. The ventilation function makes it easy to circulate fresh air throughout the coach by utilizing either the air conditioner fan, the furnace fan or a combination of both.

38555 Digital Thermostat

Atwood

Wall Thermostat

12-volt hydroflame heat-only wall thermostat.

38452 Brown Wall Thermostat

38453 Colonial White Wall Thermostat

CAMCO RV

Wall Thermostats

Replace all heat only thermostats with this model 09231 12-volt-24 volt or millivolt. Unit is equipped with on/off switch. Also available as heat & cool thermostat.

09221 Heat/Cool

918082 Heat Only

Suburban Manufacturing Company

Gas Furnace For All RVs

These NT series furnaces are incredibly compact and lightweight. But even with their small size and amp draw, these furnaces are capable of heating sizeable living areas quickly and efficiently. The NT-S models are furnaces that can be ducted to provide even heat distribution throughout the coach. The NT-SE models are direct discharge furnaces with attractive grills for zone heat in small RV's. A side duct on these models is optional. All models have direct spark ignition. Chrome vent cap and wall thermostat are included. All units are 12-volt DC and draw only 2.8 amps. NT16-20: Unit Size: 9 1/2" H x 9 3/8" W x 22 1/2" D. NT30-34 12.5" x 12" x 23"

NT16S/2009 16,000 BTU Ducted

NT20S/2019 19,000-BTU Ducted

NT16SE/2017APW 16,000-BTU Direct Vent

NT20SE/2021 19,000-BTU Direct Vent

NT30SP/2060 30,000-BTU Ducted

NT34SP/2603 34,000-BTU Ducted

SUBURBAN REPLACEMENT PARTS

520741 Module Board Kit

071076 Electrode/Burner Door Gasket

230956 Electrode

230496 Limit Switch

231933 Electrode

231208 NT34 Motor

520820 Fan Controled Board

230509 Sail Switch

231706 SF Series Motor

231707 SF 35 Motor

231207 NT 32 Motor

232504 Limit Switch

231630 Limit Switch

231244 Limit Switch

232258 Electrode 2-Prong SW6/10D

HIGH PERFORMANCE FURNACES
BY SUBURBAN

Suburban RV Furnaces are used in many of the motorhomes, travel trailers, vans and campers on the road today. Their goal has been to manufacture the most durable and most efficient products available.

The Suburban line of RV furnaces feature models with side, output and options to meet your warm air requirements reliably.

2-Year parts and labor limited warranty

Suburban Manufacturing Company

Flying Insect Screen

Protect your valuable investment by purchasing and installing Camco's Flying Insect Screens. These easy-to-install screens will help ensure that your vents stay free from costly invasion by unwanted pests.

- 42152 Flying Insect Screen - Plumbing Vent
- 42150 New Suburban 6, 10, 12 Gal Water Heaters & Furnace Vents
- 42151 For Suburban 6 Gallon Flush Mount Water Heaters

Dauber Screen

Wasps, mud dauber nests, birds and rodents pose a serious threat to your RV water heater, furnace and stove. They can enter through vents and openings and cause serious damage by building nests that interfere with air flow. Protect your valuable investment by purchasing and installing Camco's Flying Insect Screens. These easy-to-install screens will help ensure that your vents stay free from costly invasion by unwanted pests.

- 42140 Sol-Aire, Coleman, Hydroflame, Suburban
- 42141 Duo-Therm, Suburban, Set Of 2, Round
- 42142 Hydroflame 8500 Series
- 42145 Atwood 6 & 10, Suburban 6, Water Heater
- 42146 Suburban 10 Water Heater
- 42147 RV Stove Insect Screen

Furnace Accessories - Universal

Fits All RV Furnaces

- 3840WN300R 4" Brown, Full Flow Round Grill
- 3840WH 4" White, Full Flow Round Grill
- 3840RWN300 4" Brown, Directional Grill
- 3840RWH 4" White, Directional Grill
- 3840RGS 4' Beige Directional Grill

Floor Registers



Double damper, with a heavy gauge cold rolled steel.

- T32W1203 2.25 x 12 White
- T32W1403 2.25 x 14 Brown

Style Crest Register

Inside rough opening dimensions: 4" width x 8" length. outside dimensions: 5 3/8" width x 9 3/8" length. Painted all steel construction, easy air control with adjustable damper box, louvered design.

- 11CL48B 4 x 8 Brown
- 11CL48W 4 x 8 White
- 11CL410B 4 x 10 Brown
- L30W0410 4 x 10 White

Floor Registers

Meets and exceeds HUD and RVIA specs. Molded thermoplastic won't rust. Radius corners - no sharp edges. Easy to open and close, dampered. Wide flange hides cutout and is easy to install.

- 288-86-AB-TN-A 2.25" Plastic Floor Register, Dampered - Tan
- 288-86-AB-PW-A 2.25" Plastic Floor Register, Dampered - White

Ceiling Grill

This ceiling grill is easy to install, requires a 5 1/4" cutout. Directional airflow gives an increased airflow in your RV. Fade resistant, textured finish and is durable.

- GRILL1D-A 5.5" Round Ceiling Grill Colonial White Dampered
- GRILL 2D-A 5.5" Round Ceiling Grill Polar White Dampered

Heater Duct Hose

Fits All RV Furnaces

- ID0425 4" x 25' Insulated Duct Hose
- FLS0425 4" x 25' Non Insulated Duct Hose

Furnace Parts & DSI/Pilot



- 33590 Circuit Breaker - FA-78, AC-82, DC-82 Series
- 35122 35122 89 AC Motor
- 35132 Limit Switch, 130°
- 36680 Sail Switch
- 36999 Dual Sense Electrode
- 37022 Limit Switch, 190°
- 37057 37057 Electrode
- 37357 37357 DC 89 Motor - Excalibur 8500-III Series, Excalibur 8900-II Series

Excalibur Series II Service Parts

FA-79, HF-80 Series DSI and Pilot Models, Everest Star 7900-II/8000-II Series, 8000-II Series, Excalibur Series II, Excalibur 8500-III Series.

- 32118 258232 DSI Heating Element
- 32172 DSI Electrode Gasket
- 33751 32331 7-AMP Circuit Breaker - 500 Series, Excalibur Series II, Excalibur 8500-III Series
- 32774 Motor
- 32811 Burner - 500 Series, Excalibur Series II, Excalibur 8500-III Series
- 32841 Motor Gasket
- 32870 Motor Bracket
- 33219 Motor - 8500 Series, Excalibur Series II
- 33234 DSI Electrode Kit - FA-76 Series
- 33235 DSI Electrode Kit
- 33475 W/R Valve Coil
- 33589 Motor
- 31036 Motor
- 31501 DSI Board W/blower
- 37697 Motor

5-AMP Circuit Breaker

Circuit Breaker 5-AMP On/Off switch furnace parts camper trailer RV.

- 35791 Circuit Breaker 5-AMP

Atwood

Replacement Motors

Hydro-Flame motor furnace parts camper trailer RV.

32330 DC Furnace Motor 82 Fits Models; DC82 25-32, DC82 35-41

34009 Blower Motor Fits Models; 85-III 31-35, 89-I DC, 89-II DC, 89-III DC

36195 Blower Motor Fits Models; 8525-III, 85-III & 89

36196 Blower Motor Fits 8516-20 37696 FLA 4.6 LRA 12 12vdc 23202000C

Atwood

B-Vent

B-Vent complete exhaust trailer RV camper.

35956 B Vent Exhaust 8”

Atwood

Blower Wheel

Furnace Parts Hydro Flame Blower Wheel Kit Trailer Camper RV. This works with Model #s: 85-IV 16, 85-IV 20, 85-IV 25, 85-IV 31, 85-IV 35, 85-III 16-20, 85-III 25, 85-III 31-35.

33126 Blower Wheel

Atwood

Limit Switch

Atwood 37021 Hydro Flame Limit Switch L77/170º Furnace Parts Camper Trailer RV. This works on Model #s: 89-II AC, 89-II DC, 89-III DC, 89-III AC. Also on: 2540 2-Stage, 7912-II, 7900-II 16 & 20, 8012-II.

37021 Limit Switch, 170 Degree

Atwood

Sail Switch

Flame Sail Switch Furnace Parts Camper Trailer RV.

35050 Sail Switch

CAMCO RV

Gas Pressure Test Kit

Test LP & natural gas controls for correct pressure or leaks. 0-20 oz. PSI on inner reading; 0-35” of water column on outer reading. Easy to use and read with big 2 1/2” dial. Includes brass pressure tap fitting and 30” soft hose.

10389 Test Kit

Olympian

Wave Catalytic Saftey Heater

The ideal heat source for either primary or secondary heating needs, the Olympian Wave Catalytic Safety Heaters operate on low pressure Lp gas and can be wall mounted or used as portables. They can be hung either horizontally or vertically, used with an attractive recess kit or with optional leg stands. Operational up to 14,000 ft. elevation. Dimensions: 3100: 11-3/4” H x 10-1/4” W x 4” D. 6100: 17-1/8” H x 12-13/16” W x 4” D. 8100: 21 1/2” H x 15” W x 4” D.

57331 3100-BTU

57341 6100-BTU

57351 8100-BTU

Olympian

Wall Mount Catalytic Heater Dust Cover

Specially designed for your wave heater. wall mounted unit.

57706 Dust Cover For 3000/3100

57713 Dust Cover For 6000/6100

57715 Dust Cover For 8000/8100

Olympian

Free Standing Catalytic Heater Dust Cover

57722 3100 DCP Dust Cover - Portable Heaters W/Leg Stands

57724 8100 DCP Dust Cover - Portable Heaters W/Leg Stands

57723 6100 DCP Dust Cover - Portable Heaters W/Leg Stands

WARM. EFFICIENT. SAFE.

Wave™ Catalytic Safety Heaters

- Produces no harmful carbon monoxide
- No battery drain
- Warm convective heat
- Wall mountable or portable

100% SAFETY

SHUT OFF VALVE

Olympian™

Olympian™ Wave 3 • Heats 130 sq. ft.
Olympian™ Wave 6 • Heats 230 sq. ft.
Olympian™ Wave 8 • Heats 290 sq. ft.

CAMCO RV

SPECIAL ORDER

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

Olympian Leg Stand

57686 **Leg Stands - Portable**

Olympian Wave Heater Legs

Leg Stands for Olympian Wave Heaters - Keep your Olympian heater off RV flooring with these leg stands. Set of 2. Will not fit ET models.

57701 **Leg Stands for Olympian Wave Heaters**

CAMCO RV Thermocouple For Catalytic Heater

57794 **Thermocouple**

LaSalle Bristol NEW Fireplace

An inexpensive and simple way to add warmth and comfort to your RV with an electric LED RV fireplace by Therma Heat. Available in 18" , 23" or 26" widths. These quality electric fireplaces feature: Realistic log set and flame with brick sided walls. LED light bulbs that saves electricity and last much longer than standard bulbs. 1400 Watt, 4600 BTU heating. Easy to install-plug in wiring. Remote control adjusts the heater, lighting and flames. One year limited warranty- UL and cUL listed.

10NW02D **18" LED RV Electric Fireplace**
18" W X 19" H X 7" D SO

10NW01ER **23" LED RV Electric Fireplace**
23" W X 20" H X 7" D SO

210FPT23 **23" Magnetic Trim Kit**
Sold Separately SO

10NW02F **26" LED RV Electric Fireplace**
26" W X 22" H X 9.5" D SO

210FPT **26" Magnetic Trim Kit**
Sold Separately SO

BROAN Portable Heater

Our portable, electric heater is the perfect solution to instant heat, with a full 1500 watts and a reliable, ceramic heating element to ensure fast warm-up. It will keep you comfortable in nearly any situation-- the garage, workshop or on the job. Rugged steel construction, automatic shut-off if tipped over on its front or back, and overheat protection mean that Broan Big Heat is not only durable, but safe. No matter where you put it to work, it's just what you need, right when you need it.

6201 **Big Heat® Portable Heater**

Olympian Gas Grill

Designed for RV and outdoor uses, this high quality heavy duty cast aluminum barbecue increases flavor without flare-ups. Patented smoker plate is designed to offer the fullest flavor while minimizing grease fires.

57301 **Olympian Gas Grill**

CAMCO RV 5100 Elite RV Mountable Gas Barbecue Grill

Designed for RV and outdoor use, this high quality heavy duty cast aluminum barbecue increases flavor without flare-ups. Smoker plate is designed to offer the fullest flavor while minimizing grease fires. After the grill is preheated, the food drippings fall onto the smoker plate, where they vaporize and turn into flavorful smoke, producing great barbecue flavor. Easy to assemble. Mounting bracket included for the side of your RV.

57310 **5100 Elite Grill**

57279 **Complete Mount for 5100 Grill**

CAMCO RV Stainless Steel Grill



Designed for RV and outdoor uses, this high quality lightweight stainless steel barbecue increases flavor without flare-ups. Versatile mounting bracket included for the side of your RV or to use as a stand. Patented smoker plate is designed to offer the fullest flavor while minimizing grease fires. Quick and easy to assemble. Uses standard commercial or disposable LP cylinders.

57305 **Stainless Steel Grill**

Olympian SAE Elbow Connector Swivel

90 degree swivel elbow 3/8inch SAE male with 3/8 inch female connector full 360 degree swivel. Olympian Propane, Gas, Heater Accessories.

57633 **90° SAE Elbow Con-Swivel - 3/8"**

CAMCO RV Grill Bag

Keeps grill free from dust, dirt, and scratches.

57632 **Grill Dust Cover**

CAMCO RV Deluxe Folding Grill Table

Spacious grill table has a lightweight, high strength steel frame and an aluminum table top. Table is quick and easy to set-up. Great for picnics, camping, sporting events and backyards. Includes durable carrying case. 57.75" W x 19" D x 32" H. Accessories not included.

57293 **Deluxe Folding Grill Table**

Olympian

Grill Stand



Perfect for your next barbeque. Heavy-duty black, powder- coated non-rusting wire grill stand lets you cook at a comfortable 28 inch height. Folds flat to only 1-1/2 inch when not in use. Bottom shelf for additional storage.

57321 BBQ Grill Stand

Olympian

4100 Grill Replacement Parts

Olympian™ 4100 Grill Replacement Parts.

57605 Cooking Grate
57606 Cast Iron Smoker Plate
57611 Wood Side Handle
57614 Metal Bottom Handle
57615 Table Leg
57616 Wood Side Handle Spacer
57620 Long Bolt For Side Handles
57622 Metal Spacer
57623 Heat Indicator
57624 Top Casting
57625 Burner Assembly With Venturi
57626 Replacement Control Valve / Regulator - Model 4100
57630 Bottom Casting
57631 Top Handle (Wood)
57654 Metal Attacher For Top Handle (Left)
57655 Metal Attacher For Top Handle (Right)

CAMCO RV

Conversion Hose

Convert an Olympian 4100 grill to work with on-board low pressure LP Quick Connect gas supply. Kit is rated for 14" w.c. (0.5 psi max.) of inlet pressure. Includes Quick-Connect grill valve and 10' hose.

57638 4100 Gas Grill Quick Connect Conversion Kit

CAMCO RV

Little Red Campfire

Have a campfire wherever you go! Our compact, portable campfire is great for campsites with fire restrictions against in-ground fires. Perfect for tailgating or on the patio, its size is convenient and perfect for wherever you need a fire. Realistic log pieces and full ring burner help create the natural look and ambiance of wood log campfires. Sturdy lid and secure latches make the Little Red Campfire safe and easy to transport. Uses standard LP gas. RV campground approved.

58031 Portable Propane Campfire

CAMCO RV NEW

Little Red Campfire Cook Top

Now you can cook with your Little Red Campfire. Unfold the legs of the Little Red Campfire Cook Top to create a cooking platform for pots and pans at the perfect height. Legs fold for convenient storage in the included bag.

58033 Little Red Campfire Cook Top

CAMCO RV

RV Mounting Rail

Mounting bracket to mount 5100 Elite Grill or Stainless Steel Grill to RVs.

57268 Mounting Bracket For Elite Grill

CAMCO RV

Barbecue Adapter Hose

No more disposable cylinders. 60" hose adapter for use with Olympian 4100 and 5100 Elite Gas Grills. Allows you to connect a full size propane gas bottle to your grill.

57636 60" BBQ Adapter Hose

CAMCO RV

Quick-Connect LP Gas Hose

Replacement part for Stainless Steel Grill or use with the Elite 5100 and LP Gas Control with Quick-Connect (57274) to connect to propane supply on an RV or trailer that has a built-in Quick-Connect propane connection. 6 ft.

57280 LP Quick Connect Hose Extension

CAMCO RV

Quick Connect Kit

For use in low-pressure propane systems to add a convenient connect/disconnect method or to add an additional safety shut-off. Valve: 1/4" Female NPT x Female Quick Connect; Full Flow Plug: 1/4" Male NPT x Male Quick-Connect.

59853 Propane Quick Connect Kit

CAMCO RV

LP Gas Control valve W/Quick-Connect

Replacement part for Stainless Steel Grill or use with the Elite 5100 to use propane supply on an RV or trailer that has a built-in Quick-Connect propane connection.

57274 LP Control Valve W/Quick Connect

Atwood

Burner Knobs

Standard Model & Top Lighter Model, Model R-1735 Model R - 1730 - Standard & Top Lighter Models, R-1745 - Standard, Top Lighter and Spark Models, R-2145 - Standard and Top Lighter Models.

53000 Burner Knob/2-Pack

CAMCO RV

Magic Grommets

Pack of four rubber grommets for Magic Chef stovetops.

43614 Magic Chef Grommets

CAMCO RV

Stove Burner Liner

Keep your RV's stovetop burners clean and hide pitted or rusted burner wells. Helps to make clean-up easy. For Wedgewood, Magic Chef and most other RV gas stoves. Easy installation: remove grate, drop in liner, bend four tabs under, replace grate. 7-1/2". Made in the USA. 4/pack.

43800 Burner Liner

Atwood NEW

On-Demand Water Heater

Endless hot water – High output burners instantly deliver endless hot water. Fits opening for most brands and sizes of water heaters. Energy efficient. – only heat the water you use.

90197 Water Heater, On Demand 45K BTU
90205 Water Heater, On Demand 50K BTU

Atwood

6 Gallon XT Water Heater

Receive 9 gallons of hot water with only the space of a 6 gallon heater. The new Atwood XT water heater employs technology to provide RVer's with 50% more hot water. Atwood has greatly increased hot water output while maintaining the size and weight of the water heater. The XT uses exothermal technology to provide the equivalence of 9 gallons of hot water. The XT comes with pre-configured winterizing bypass kit. Radiant. Dimensions: 16" W x 12 1/2" H x 19-1/2" D. Includes Door.

90073 GH9-EXT, LP Water Heater
90071 GE9EXT Water Heater Gas/Electric
90068 GEH9EXTGas/LP/Heat Exchange

Atwood

10 Gallon XT Water Heater

Receive 16 gallons of hot water with only the space of a 10 gallon heater. The new Atwood XT water heater employs technology to provide RVer's with 50% more hot water. Atwood has greatly increased hot water output while maintaining the size and weight of the water heater. The XT uses exothermal technology to provide the equivalence of 16 gallons of hot water. The XT comes with pre-configured winterizing bypass kit. Dimensions: 16" W x 15-1/2" H x 21-3/4" D. Door Included

94105 G16EXT Gas Water Heater
94026 GE16EXT Gas/Electric Water Heater
94029 GEH16EXT Gas/Electric W/Heat Exchanger

Atwood

Electronic Ignition

The Atwood direct spark ignition gas water heater 6 gallons combines the advantages of time-proven performance and durable construction with the ability to operate your water heater from inside your RV. An extended cold water inlet tube enables hot water to last 55% longer for 6 gallon models. Made in USA. Size 6 Gallon -16" W x 12-1/2" H x 18" D. Size 10 Gallon 15-1/2" H x 16" W x 21" D. Door Included

96121 G6A8E 6-Gallon DSI W/H
96163 GCH6A-10E 6-Gallon DSI/Elect. W/H
94191 G10-3E 10-Gallon DSI W/H
94023 GCH10A-3E 10-Gallon DSI/110

Atwood

Pilot Ignition

The Atwood water heater combines the advantages of time-proven performance and durable construction with simple good looks. Its clean and appealing lines blend easily with RV body lines. Components such as heavy duty water connections and brand name controls contribute to its dependable operation. 6 Gallon Size: 16" W x 12-1/2" H x 16-7/8" D. 10 Gallon Size 15-1/2" H x 16" W x 21" D. Door Included

96110 G6A-7 6-Gallon Pilot Water Heater
96117 GC6AA-8 6-Gallon Pilot/110V W/H
94180 G10-2 10-Gallon Pilot W/H

Atwood

Replacement Doors

Access doors for Atwood Water Heaters.

93993 Access Door For 10-Gallon Colonial White
91514 Access Door For 6-Gallon Colonial White
93986 Access Door For 10-Gallon Polar White
91502 Access Door For 6-Gallon Polar White

Suburban Manufacturing Company

Gas Water Heater - Direct Spark Ignition



Direct spark ignition water heaters feature a remote switch with electronic action. With a fast recovery of 10.2 gallons per hour, you can enjoy more hot water and fewer cool water cycles. Copolymer insulation jackets specially fit the tank to retain heat. For higher recovery, a 1,440 watt element to recover an additional 6 gallons per hour. 6 Gallon 12-11/16" W x 12-11/16" H x 19-13/16" D. The 10gl. would be 16-7/32" W x 16-7/32" H x 20-1/2" D. . Access doors are sold separately. 1 per box.

5057A SW6D Water Heater W/O Door

5040A SW10D Water Heater W/O Door

Suburban Manufacturing Company

Gas Water Heater - Pilot

Suburban introduced a major redesign of their 6 gallon water heater. The new unit will fit the same cut-out opens and will be an easy replacement. Some of the improvements are: On all models, except motor aid models, the tank will be insulated with Dytherm foam insulation. This eliminates, on the most popular models, the "cardboard like" casing which covered the fiberglass wrapped tank. This provides better, more consistent insulating properties and vastly improved appearance; the anode rod and drain plug are now combined as one. It is easy to remove and the larger drain opening helps the tank drain faster and more completely. On the new design, every time the tank is drained, the anode rod can be checked and replaced if necessary; the gas connection inside control pan will require minor adaptation when a new unit is installed in place of an older unit. The only inconvenience will be adding some gas piping; limit switches, reset button and the on/off toggle switch for the electric heat element are all accessible through the removable outer door. Even the electric heating element is serviceable through this door. The only control not accessible through the outer door is the electronic module board which we've kept inside and protected from the weather. MOR-FLO/AMERICAN REPLACEMENT TANKS ARE NOT AVAILABLE BECAUSE OF INSURANCE LIABILITY. 6 Gallon 12-11/16" W x 12-11/16" H x 19-13/16" D. 10 Gallon 16-7/32" W x 16-7/32" H x 20-1/2" D.

5048A SW3P Water Heater W/O Door ●

5054A SW6P Water Heater W/O Door

5059A SW10P Water Heater W/O Door

Suburban Manufacturing Company

Combination Gas & Electric Water Heater - Pilot

Porcelain-lined, steel water heaters feature an anode rod to "absorb" the electrolytic action, ensuring that your entire water heater system lasts longer. . Copolymer insulation jackets specially fit the tank to retain heat better than the "cardboard" style used on other brands. For higher recovery, use the gas and electric water heaters which use a 1,440 watt element to recover an additional 6 gallons per hour. Water heaters with a re-igniter eliminate the need to re-light the pilot and sound an alarm when the pilot is extinguished or the gas supply is turned off. Easy to install, operate and maintain. Access doors are sold separately. 1 per box. 6 Gallon 12-11/16" W x 12-11/16" H x 19-13/16" D. The 10gl. would be 16-7/32" W x 16-7/32" H x 20-1/2" D. .

5055A SW6PE 6 Gas/Electric Water Heater

5060A SW10PE Gas/Electric Water Heater

Suburban Manufacturing Company

Combination Gas & Electric Water Heater - Direct Spark Ignition



Direct spark ignition water heaters feature a remote switch with electronic action. With a fast recovery of 10.2 gallons, you can enjoy more hot water and fewer cool water cycles. Copolymer insulation jackets specially fit the tank to retain heat. For higher recovery, a 1,440 watt element to recover an additional 6 gallons per hour. 6 Gallon 12-11/16" W x 12-11/16" H x 19-13/16" D. The 10gl. would be 16-7/32" W x 16-7/32" H x 20-1/2" D. .. Access doors are sold separately. 1 per box.

5058A SW6DE Gas/Electric Water Heater

5063A SW10DE Gas/Electric Water Heater

Suburban Manufacturing Company

Water Heater Doors

These water heater doors fit the SW models unless noted otherwise

6261ACW 6-Gal Radius Corner Door CW

6261APW 6-Gal Radius Corner Door PW

6255APW 6-Gal Flush Mount Door - PW

6255ACW 6-Gal Flush Mount Door - CW

6259ACW 10-Gal Flush Mount Door - CW

6259APW 10-Gal Flush Mount Door - PW

520781 Door Kit - Adapts Old V Models to New SW Model Door Size

520771 Dooe Kit - Adapts V Model Flush Mount Door to SW6 Water Heater.

520787 6-Gal. CW Door kit - Adapts Atwood Opening to Suburban Opening

697213 10-Gal. Square Corner Door W/O Frame CW - Fits V Model

697205 6-Gal. Radius Corner Door CW - Fits V Model

690578 6-Gal. Square Corner Door W/O Frame CW - Fits V Models

Rheem

Electric Water Heater

Patented R-Foam insulation process for superior heat retention. Temperature and pressure relief valve included. Automatic thermostat keeps water at desired temperature.

81IP6S 6-Gallon Water Heater ●

81IP10S 10-Gallon Water Heater ●

81IP20S 20-Gallon Water Heater ●

CAMCO RV

Burner Tube Cleaner



Removes rust, spider webs and corrosive weather deposits.

09103 Tube Cleaner

CAMCO RV

Thermocouples Universal

Available in 12", 18", 24", 30" lengths. Includes adapters to replace 95% of original thermocouples in use. Display card.

09253 12" Universal Thermocouple

09273 18" Universal Thermocouple

09293 24" Universal Thermocouple

09313 30" Universal Thermocouple

Girard Products

Endless Hot Water!

The RV Industry's First *On-Demand* Induced Draft Tankless Water Heater!

With Girard's tankless water heater, you'll never run out of hot water again. Save energy and money!

- **Energy Efficient -** Use up to 60% less LP since no recovery or stand-by time. Heat only the water you need when you need it!
- **Lightweight Compact -** Only 23 lbs. and fits into existing tank water heater cut-out openings.
- **Temperature Rise -** 40° to 60° depending on water flow.
- **No Storage Tank -** No anode rods or sediment plus no by-pass plumbing needed for winterizing.
- **Two Year Limited Warranty**

Professional Installation Recommended by a Girard Authorized Dealer/Service Center.

CSA Approved

GIRARD PRODUCTS. LLC.

For more information visit:
www.greenrvproducts.com

GIRARD PRODUCTS. LLC.

Tankless Water Heater

The Girard Tankless Water Heater incorporates a power blower that forces the combustion air through the heat exchanger (induced Draft). This new design results in a unit capable of providing higher burner power in a smaller package, higher combustion efficiency, heat transfer efficiencies in excess of 90% without condensation and a higher wind resistance performance. Dimensions: 12.5" H x 12.5" W x 15.5" D

1GWH Tankless RV Water Heater
1GWHAF Tankless Water Heater W/Winter Use Device
1GWHD GSWH-1 Door
1GWHDA6 Door Retrofit Atwood 6 Gal.
1GWHDAS10 Door Retrofit Atw/Sub 10 Gal.
1GWH9404 Winter Use Device

CAMCO RV

Camlocks

Replace broken door latches quickly and easily. Camlocs replace water heater door latch assemblies or gas bottle cover access door latches. 2/card.

09203 Plastic Cam Lock 2-Pack
09213 Metal Cam Lock 2-Pack

CAMCO RV

Water Drain Valve

Replaces original valve or water heater plugs and allows for easy draining everytime. Brass body, permanent and easy to install. Carded.

11703 1/2" Drain Valve
11663 1/4" Drain Valve
11683 3/8" Drain Valve

CAMCO RV

Anode Rod

Anode rods preserve the life of a water heater by corroding themselves so the water heater doesn't. Simply replace the 1/2" or 3/4" pipe thread head drain plug with the anode rod to protect the tank. Aluminum rods fit Mor-Flo and Suburban water heaters while the magnesium rod fits Atwood water heater.

11562 Anode Rod, Suburban
11533 Anode Rod W/Drain, Atwood
11552 Anode Rod, Atwood

CAMCO RV

Anode Rods - Suburban

Anode rods extend the life of a water heater by attracting corrosive elements in the water, protecting your tank and elements from corrosion. Patented.

11563 Anode Rods

CAMCO RV

Anode Rod

Preserves the life of a water heater by corroding themselves so the water heater doesn't. Simple replace the 1/2" or 3/4" pipe thread head drain plug with the anode rod to protect the tank. The 4-1/2 in. anode rod magnesium rod fits Atwood water heaters and the 9-1/2 in. anode rod aluminum rod fits Suburban and Mor-Flow RV heaters.

11553 4 1/2" Anode Rod, Carded

CAMCO RV

Element Kit

Replace the screw-in element in your RV water heater with a UL recognized HWD replacement kit. Detailed instructions included.

02103 1000-Watt Screw In Element
02143 1500-Watt Screw In Element
02183 1750-Watt Screw In Element
04363 1500-Watt Universal Element

PAK Mfg.

HottRod "The Original"

Converts your gas water heater to an electric water heater in minutes. Inserts in the drain of your water heater and plugs into any convenient 110V source. Unit is controlled by a thermostat for safe heating.

HR10 Universal - 10 Gallon
HR6 Universal - 6 Gallon

CAMCO RV

Thermostat

Single element thermostat w/HLC. Energy efficient range setting. Built-in safety switch to prevent overheating. Skinpacked thermostats are packed in convenient cut cases and come complete with detailed instructions and wiring diagrams for easy installation

07843 Thermostat

Water Heater Drain Valve Wrench

Adjust handle for hard to reach drain valves; gives you the leverage you need. Open handle allows water to flow to front of heater. Heavy duty high-impact plastic. USA.

11653 Drain Valve Wrench

Water Heater Element Wrench

Fits standard 1-1/2" nut on screw-in elements. Three inches long to reach inside casting. Takes a screwdriver through side holes to apply torque for tightening. Display packaged from Camco.

09942 Element Wrench

Element Wrench

Remove and replace screw-in elements with ease. Zinc-plated element wrench goes where other wrenches can't.

09883 Element Wrench 5"

Valve Remover

Replace T & P valves faster and more safely. Valve Remover gives you better access to the water heater housing, reducing injuries. Fits Atwood and Suburban (Mor-Flo) water heaters.

10552 Valve Remover

Gas Control Wrench

Install gas controls with a durable, universal gas control wrench. Has a case-hardened adjustable screw for durability.

09963 Gas Control Wrench

Gas Pilot Assembly

Specifically designed for use in your RV. They are direct factory replacement parts and come with complete step by step installation instructions.

08763 9" Mor-Flo Assembly

08773 9" Atwood Assembly

08783 11-1/2" Atwood Assembly

Relief Valve

Protect yourself from excessive temperatures and pressures in your water heater. All valves are factory preset at 150 PSI. Both have 4" probes.

10423 1/2" Pipe Thread

10421 1/2" Pipe Thread - 50 Pack

10473 3/4" Self-Closing

Latch & Hinge Assembly

Complete kit replaces access door parts on American Appliance, Mor-Flo and Suburban water heaters. Bulk.

520568 Assembly

Gas Valve

Camco's gas controls are designed specifically for use on recreational vehicles. Custom made for use with LP gas to an 11" water column. All are adjustable from 120° to 160°F.

08621 1/2" FPT x 3/8" FPT x 1-1/4" Shank

08641 3/8" IF x 3/8" IF x 1-3/8" Shank

08651 3/8" FPT x 3/8" FPT x 1-1/2" Shank

Water Heater Valve

These gas controls are designed specifically for use on RV's. They are custom made for use with LP gas.

08601 3/8" IF x 3/8" FPT x 1-5/8" Shank

08631 3/8" IF x 3/8" IF x 1-1/4" Shank

Water Heater Valves

Jade Thermostat, 3/8" N.P.T. Inlet and Outlet (name change White Rodgers)

91602 Jade Thermostat W/1/4" Npt Inlet And 3/8" Npt Outlet

Water Heater Eco Switch



Will Work on Pilot Water Heater Models: GC10A-2, GC10A-2P, GC10-1, GC10-2, GC10-2P. 1-Per Pack. Also works with Electronic Water Heater Models: GC10-1E, GC10-2E.

90037 Eco Switch

Water Heater Replacement Tanks

Inner Tank (Includes Fiberboard Jacket & Insulation Blanket)

91412 G6A-2, G6A-3 & G6A-6 Inner Tank

91591 GC6AA-7 Inner Tank

91593 GC6AA-7E, GC6AA-8E Inner Tank, Screw In Element

91641 G6A-4E & G6A-6E Front Mount T-Stat Inner Tank

91642 GH6-4E & GH6-6E Front Mount T-Stat Inner Tank

Water Heater Drain Plug

1/2" plastic drain plug to fit all Atwood water heaters 2-pack.

91857 Drain Plug - 1/2" Plastic, Set Of Two

Water Heater T-Stat



Control the temperature of your Atwood electronic ignition water heater from 110°F to 150°F. Installs easily with a flat-head screwdriver.Fits Models: GCH6-4HE, GCH6-6E, GCH6-7E, GC6A-7E, GH6-6E , GH6-7E, GH6-8E, G6A-6E, G6A-7E, G6A-8E, GCH6A-7E, GCH6A-8E, GCH6A-9E, GC6AA-7E, GC6AA-8E, GCH10A-2E, GCH10A-3E, GC10A-2E, GC10A-3E, G10-1E, GC10-1E, GH10-1E, G610-3E, GH10-3E, G10-2E, G10-3E, GC10-2E, GH10-2E, GH10-3E.

93105 Electronic Adjustable T-Stat

Water Heater Pilot Relighter

No more pilot outage or having to brave inclement weather to relight your pilot light. Fits Atwood Pilot Water Heaters. Uses 9-volt battery (not included). Includes easy installation instructions. AGGA, CGA an UL certified.

93212 Pilot Relighter Kit

Water Heater Switch Package



Atwood water heater switches are for combination gas and electric unit. This switch gives you total control at your finger tips, and makes switching from one to the other a breeze.

91959 Switch Package

Water Heater Main Burner Part

Atwood Main Burner 6-Gallon. Fits Pilot Models: GC6A, GC6A-3, GC6A-6, GC6A-7, G6A, G6A-2, G6A-3, G6A-6, G6A-6P, G6A-7, G6A-7P, GH6-3, GH6-6, GH6-7, GC6AA-7, GC6AA-7P, GC6AA-8, GC6AA-8P, G10B, G10C, & Electronic Models; GC10-1E, GC10-2E, GH10-2E, GH10-3E.

92615 Main Burner, 6-Gallon

Inverted Flare Adapter



Water heater inverted flare adapter.

92973 Inverted Flare Adapter

Water Heater Thermostat

Water heater repair part from Atwood, rectangular 110-volt thermostat.

91853 110 Volt Thermostat

Ignition Control

For use on older models that required post design electrode.

91504 Ignition Control Kit

Thermal Cut Off

Atwood water heater repair part for a thermal cut off.

93866 Thermal Cut Off

Water Heater Jade Pilot



Safety Pilot Assy, Jade, Includes Thermocouple & Tubing.

91603 Jade Pilot Assembly

Water Heater Preset Thermostat

Atwood 140 Degree T-STAT Model: 91952 UPC: 765053002448.

91952 140° Preset Thermostat

Water Heater Door Kit

Sight Window, Sight Window Tape, Hinge Clip, Hinge Pin

91858 Door Hardware Kit

Water Heater Thermostat

Eco/thermostat replacement for all 12V DSI water heaters.

91447 Front Mount ECO & 140° Thermostat Assembly

Water Heater Spark Probe



Spark Probe Assembly: Single sense (local) water heater replacement spark probe assembly.

93868 Spark Probe, Single Sense

Water Heater Solenoid Valve



Gas Valve For All Electronic ignition Atwood water heaters.

93844 Solenoid Valve (White Rogers), 6 & 10-Gallon

Suburban Manufacturing Company
Drop In Stove

Stainless steel two and three burner drop-in cooktops. Two burner model features 6,500 BTU burners. The three burner model features a 6,500 BTU front burner and 5,200 BTU rear burners. 2 Burner Dim:16-3/8" W x 11-5/8"D 3 burner Dim: 18-5/16"W x 16-1/8"D.

2937AST 2-Burner Stainless Steel

2938AST 3-Burner Stainless Steel

VENTLINE
Range Hood Vent

Polar White Range Hood Vent - Ventline Range Hood Louvered Vent. Polystyrene plastic outside vent with a horizontal outlet. 1-3/4inch inlet flange. Dimensions: 11-1/2 inch x 5-1/4inch outside flange. Polar White in color.

V2018-01 Range Hood Louver Vent Polar White

VENTLINE
Sidewall Fan



Fits 9-1/2" by 9-1/2" opening. Common in mobile home and RV kitchens. Spring loaded cover, with automatic switch.

V2215-20 110V Sidewall Fan - Colonial White

V0131-37 Chrome Grill

VENTLINE
Range Vent



Ventline 1-3/4" flange horizontal hood vent.

V2018-02 3 5/8" X 10 1/2" Range Hood Vent - Col White

V2018-01 3 5/8" X 10 1/2" Range Hood Vent - Polar White

HENG'S
Range Hood - 20"

Single switch gauging of all systems, totally enclosed light, washable aluminum filter, air exhaust volume of 138 CFM, standard baked enamel finish. Optional exterior vent covers.

R0442503-D1 20", White

BBC0246-00 8 x 8 Filter

L011700 Fan Switch, Black

BVA0163-00 6" Fan Blade 1/8 Shaft For 12-Volt Roof Vent Dome

VENTLINE
Range Hood Filter



Aluminum 8" x 8" washable grease filter. Fits mobile home and camper range hoods.

CC00248-00 8 X 8 Grease Filter - W/ Charcoal

BCC0246-00 8 X 8 Grease Filter - W/O Charcoal

VENTLINE
Range Hood

Gets rid of cooking odors and keeps your trailer comfortable. Includes light under hood. Easy to reach controls. 12" W x 20" L..

V2009-02 Hood Vent - Louvered, Colonial White

V2009-01 Hood Vent - Louvered, Polar White

VENTLINE
Hood Vent

Plastic outside vent with 1/2" inlet flange. 5-3/4" by 12-1/2" vent fits Ventline vented hood.

V2111-01 Hood Vent - W/Dampener - Colonial White

V2111-03 Hood Vent W/Dampener - Polar White

QuikChek

12 VDC - This handy tester plugs into a cigarette lighter. Tests most 12 VDC Ignitor boards that do not use an external sense wire. Small and easy to use, toss it in the tool box to keep it handy. 1 Year factory warranty. Easy to use: Plug the tester onto the board, Hook up the spark wire, Plug the tester into the cigarette lighter, Wait for the spark, Push the flame sense button to check the sense circuit.

QUIKCHEK QuikChek Ignitor Board Tester

Universal Board



The UIB Series Igniter boards are for use in furnaces, water heaters and some refrigerators. These two basic boards have spade high voltage connectors are all "3 try" boards. The replaceable fuse protects the board from short circuits LED turns red when the board activates the gas valve. The boards also have very good surge protection and tolerance to ripple voltage from "battery charger type" converters.

UIB S Ignition Board Small 4.25" x 3.25" Universal

UIB L Ignition Board Large Spade 5.10" x 3.43"

Universal Post Board

For water heaters, furnaces and refrigerators. The UIB Series Igniter boards are for use in furnaces, water heaters and some refrigerators. These two basic boards have or post (spark plug style top) high voltage connectors are all "3 try" boards. The replaceable fuse protects the board from short circuits LED turns red when the board activates the gas valve. The boards also have very good surge protection and tolerance to ripple voltage from "battery charger type" converters.

UIB L POST Ignition Board Large Post 5.10" x 3.43"

UIB S POST Ignition Board Small Post 4.25" x 3.25"

Fan Control Ignitor Board



For Suburban® and Atwood®/Hydro-Flame® furnaces with Fan Control Features. Can also be used to add Fan Control Features to other 12 VDC furnaces. Compatible with the Fan 50 Plus and UIB Fan control boards.

FAN 50 PLUS PINS Ignitor Board Fan 50 Plus Pins 3.25"x4.25"

Cover

Electronics are the same on both size boards. Covers available in small & large sizes, recommended for fridge and water heaters.

LARGE COVER Large

SMALL COVER Small

Control Board

The Micro P-711 can replace most of the "Black Box" control boards, both 2-way and 3-way presently used in Dometic refrigerators. Works in the following models: NDR1062, NDR1272, NDR1282, NDR1492, RM2551, RM2554, RM2607, RM2611, RM2612, RM2620, RM2652, RM2807, RM2811, RM2812, RM2820, RM2825, RM3607, RM3662, RM3663, RM3807, RM3862, RM3863, RM4872, RM4873, RM7030, RM7130, RM7732, RM7832, SI521, S1531, S1621, S1631, S1821, S1831, and there may be more.

MICRO P-711 Control Board Micro P-711

Norcold Control Board

Works in the following Norcold® refrigerators after the recalls have been done: 838 EG2, 8310 EG2

61716822 2-Way Norcold Interface Board

Norcold Control Board



Matches Norcold 8663, 8683

D-15650 Refrigerator Control Board D-15650

Norcold Control Board



Matches Norcold 8662, 8682

D-15711 Refrigerator Control Board

Norcold Control Board

Can replace Norcold's part numbers: 621267, 621267.001, 321268, 621268.001, 621269, 621269.001, 621270, 621270.001, 619360, 619361, and 6321268.001. In an addition to being fully compatible, the no cooling fault code can be reset from operator panel.

6212XX 2 & 3-Way Norcold Board

Pinnacle

Appliance Parts Kit

Various replacement parts, knobs, switches, etc. for Pinnacle Appliances.

17-2306 Washer Knob

17-2307 Dryer Knob

17-2309 Electrical Door Switch

17-2370 Push Button - On/Off

17-2371 Push Button - Function Switch

17-1398 Flow Valve (to condensing chamber)

17-1763 Fusible Link (144 Degree)

17-1121 Thermostat

17-2335 Tub Suspension Spring - Left

17-2382 Tub Suspension Spring - Right

Pinnacle

Washer & Dryer Combination

Welcome to Pinnacle Appliances, your one source company for the most innovative, energy and water efficient laundry appliances specially developed for Recreation Vehicles. By choosing Pinnacle as your laundry appliance , you have not only found the best in reliable technology but above all, you have found a faithful and untiring appliance. Your machine is strong, reliable, long lasting, compact and convenient to use. All of these qualities have made Pinnacle Appliances famous all over the world. We offer a wide range of appliance products some of which might suit your needs. Dimension: Size: 33.5"H x 23.5"W x 23.25"D, White.

17-2015 Combo Washer Dryer Ventless ●

17-2013 Dryer ●

Pinnacle

Stackable Washer & Dryer

These stackable washer and dryer models are designed to stack one on top of the other. This allows for convenience in storing your units in limited space. The easy front loading doors make doing your laundry a snap and each unit has four completely adjustable legs. Dimension: 33.5" H x 23.5" W x 23.25" D, White.

MJ-9310(W-D) Washer ●

26-2013 Dryer ●

17-1050 Wash/Dry Stack Kit ●

Splendide®

Washer & Dryer

Splendide's extra capacity washer-dryer with super-silent, brushless AC motor delivers, performance and quietness in a space saving package. Features a 15 Lb. wash capacity, 11-Lb. dry capacity, 10 wash cycles, 3 dry cycles and a Day Time selector. Quality-built for RV travel, with heavy-duty springs and shock absorbers and a durable stainless steel drum. White or Platinum color.

WD2100XC **Extra Capacity Vented Model 2100 White** ●

V190D **90° Elbow Vent Elbow For Dryer** ●

VI422 **Standard Kit White** ●

VID403AC **Deluxe Dryer Vent Kit - Chrome** ●

P122 **Drain Pan W/Removable Face - 1-1/2" H x 24" W x 22-1/2" D** ●

Splendide®

Laundry Powder For Splendide Washer/Dryers

Splendide Laundry Powder Designed specifically for use with Spendide washer dryers. Low sudsing, quick dissolving and 100% natural. Works great even in cold or hard water. RV/Marine septic safe. 100 loads. Sh. Wt. 5 lbs.

1005 **Splendide Laundry Powder Box - 5 lbs.** ●

WALEX

Swift Laundry Soap

Formulated for high efficiency washer/dryer combination front loading machines, but also performs well in top loading units. Dissolves in seconds, eliminates spills and messes, leaves no residue and will not over-foam. Biodegradable and environmentally safe. Safe for septic tanks. Fragrance-free, no phosphates, works in hot or cold water. Ideal for use on RV's and boats. 15 packs per bag and 12 bags per case.

LAU-51702 **Laundry Detergent**

XC

The Splendide RV Combo Laundry Collection 2011

Maximum Performance. Minimum Consumption.

Splendide's new washers are among the most energy and water efficient washing machines have the washing machine on whenever you available. So, you'll not only be getting outstanding wash and dry results, but you will also be conserving precious resources in your RV - energy and water.

Easy to use.

Load your wash and set the controls with ease - Splendide's controls are redesigned and their new doors are even bigger - now up to 11.5" wide. Status Indicator LED's clearly display cycle progress as Splendide's washer-dryers go from wash to dry automatically.

As soothing as a lullaby.

'Super Silent' means being able to spend time in your RV without being disturbed. So you can have the washing machine on whenever you want, even while asleep. This is possible thanks to special sound-absorbing materials, and a new tri-phase motor designed to achieve an outstanding dynamic performance with no noisy mechanical interference.

Built RV tough.

Splendide washer-dryers not only offer the space, weight and energy savings that are so important in RV's, but they are built tough to withstand the rigors of the road. Splendide washers are equipped with heavy-duty springs and shock absorbers, stainless steel drums and reinforced cases for a long travelling life.

Extra Capacity.

Splendide washer-dryers offer class-leading load size capabilities. Equipped with a redesigned X-tra Capacity drum, Splendide's new XC combo line is able to wash and dry bigger loads than ever before.

As caring as you are.

Splendide's new washing machines feature electronic control modules which mean they are able to process the quantity and type of wash and decide the right combination of water, temperature and spin speed with a high level of precision to offer you a better performance and great results - whiter whites, brighter colors.

Get built-in power and convenience from a name you trust

The all-in-one Dirt Devil® CV950 LE delivers consistent vacuum power and versatility in a compact, space saving design. Just plug in and you're ready to clean! Vacuumed dirt is whisked away and captured in a remotely located dirt canister-- no fuss, no hassles.

It is the only true built-in RV central vacuum and it's available from a name that's synonymous with cleaning convenience.

Add a VacPan Automatic Dustpan to make life on the road even easier! Simply touch the on/off lever with your foot and dry spills get instantly swept away!

Order now to discover the built-in difference.

Dirt Devil® branded central vacuums are manufactured under exclusive license form Royal Appliance Mfg. Co., by H-P Products, 512 W. Gorgas St., Louisville, OH 44641

Dirt Devil

Vacuum System

Dirt Devil is a powerful space saving central vacu um system designed specifically for RV's. This vacuum has a quiet commercial grade power unit that can be installed in a basement, cabinet, under a seat or in a closet. Comes complete with: a 7' hose that expands to 35', a one piece adjustable wand, selectable rug/floor tool, crevice, dusting and upholstery tools, one gallon disposable bag and installation kit.
Three year warranty.

8233 Cleaning System ●

7767 Replacement Bags ●

Dirt Devil

VacPan Automatic Dustpan

VacPans are a great add-on to the CV950 Central Vacuum System. The VacPan provides quick clean-ups with a convenient toe-kick switch. Simply sweep dust and dry debris up the vacuum port to be whisked away. VacPan comes complete with installation parts.

8799-BK VACPAN Automatic Dust Pan Kit ●

Dirt Devil